Short USB 2.0 cable AB PREMIUM quality, gold plated plugs, black, 30cm

Product number CU-03-BK
Length 300mm

Product description

Very short USB cable, about 30cm, gold plated connectors, for USB 2.0 and USB 1.1, high quality (28AWG1P / 24AWG2C), USB plug A to USB plug B (USB standard), colour: black

Highlights

- very very short USB cable: partsdata has it
- **PREMIUM quality**
- UL cable material, ideal for exports

PREMIUM

- The reliability of the cable is enhanced by gold-plated contacts. The high-end cable material is double-shielded (flexible aluminium foil + braided sheathing) and both connectors are completely metal-shielded internally. The strain relief is moulded onto both connectors. 480 Mbit/s (= 60 MByte/s).

Use

- The short cable is ideal for internal cabling of machines.

Details

- USB 2.0 connection cable type A/B
- Double shielding with foil shield + braided shield
- Shielded connectors
- Copper wires (CU)
- Wire thicknesses: AWG28/1P + AWG24/2C (i.e. thicker 5V power wires)
- Twisted pair data cable
- **Gold-plated plugs and contacts**
- **UL cable materia**l, e.g. E324703 UL AWM STYLE 2725 80°C 30V VW-1
- Connection 1: USB 2.0 plug type A male (system side/upstream)
- Connection 2: USB 2.0 plug type B male (to peripheral device / downstream)
- USB 2.0 compatible + backwards compatible with USB 1.1
- Suitable for 480 Mbit/s (high speed), 12 Mbit/s (full speed) and 1.5 Mbit/s (low speed)
- Cable diameter approx. 4.5 mm
- Colour: black
- Length: **very short 30 cm !**
- Tariff number: 85444290, Made in PRC

Environment

- CE, WEEE, RoHS compliant

More images