

# USB Type-C™ panel mount cable, female to female, 20cm

**Product number** HX-M1  
**Length** 200mm




## Product description

USB Type-C™ panel mount cable, female to female, 20cm

### Key features

- USB Type-C™ panel mounting cable / panel mount cable / rack mount cable / USB C REAR
- connection 1: USB Type-C™ socket screw-on (panel mount socket)
- screw type: UNC 4/40, approx. 15mm thread length
- hole spacing approx. 25mm
- cutout for Type-C™ socket approx. 9 x 3.5mm
- connection 2: USB Type-C™ socket
- length: approx. 20cm
- PREMIUM quality
- double shielding with braided and foil shielding
- conductor material: copper (CU)
- UL 2725 cable material e.g. E321484 80°C 30C VW-1 APBG Electronic Co., Ltd. and others
- max. 10 Gb/s (USB 3.2 Gen.2)
- component/cable for mounting in end device
- weight 16g (without packaging)
- CE, WEEE, RoHS compliant (environmentally friendly according to EU directives)

More images



## PINOUT

P1		P2	
A4+A9+B4+B9 (26# VBUS)	Red	A4+A9+B4+B9	Red
A7+B7	White	A7+B7	White
A6+B6	Green	A6+B6	Green
A1+A12+B1+B12 (VGNL)	Black	A1+A12+B1+B12	Black
A5	Purple	A5	Purple
B5	Blue	B5	Blue
B11	Red	A2	Red
B10	White	A3	White
A2	Drain	B11	Drain
A3	Purple	B10	Purple
A11	Orange	B2	Orange
A10	Yellow	B3	Yellow
B2	Blue	A11	Blue
B3	Drain	B8	Drain
B8	White	A10	White
A8	Brown	A8	Brown
SHELL	Yellow	B8	Yellow
	Pink	B8	Pink
	SHELL		SHELL
	DRAIN+BRAID		DRAIN+BRAID

