

USB cable A to Mini B with thicker power lines PREMIUM+ certified 1.8m

Product number CU-B05-18-C

Length 1800mm



Product description

Mini B USB cable 1.8m, PREMIUM+ quality, certified USB 2.0 high speed cable (www.usb.org TID 60000532), USB A male to Mini B (5pins) male, 28AWG/1P 20AWG/2C (stronger 5V lines), double shielded (braid cover degree 80%), diameter 5mm, black


Key features

- USB 2.0 cable A to Mini B
- certified cable (www.usb.org, with TID no.)
- very high quality PREMIUM+
- **thicker 5V power lines: AWG20/2C**
- double shielded
- data lines AWG28/1P (twisted pair)
- shielded plugs
- **30µm gold plating** on contacts
- operating temperature: -20°C to +75°C
- storage temperature: -40°C to +85°C
- cable diameter about Ø 5mm
- USB 2.0 plug A male (upstream/to PC)
- small USB 2.0 Mini B plug male, 5 pins (downstream/to USB device)
- compatible USB 2.0, backward compatible USB 1.1
- for 480 Mbps (high speed), 12 Mbps (full speed) and 1.5 Mbmps (low speed)
- colour: black
- length: 1,8 meter
- CE, WEEE, RoHS compliant

More images




USB A



USB Mini B

Pinout

| | | | |
|---|------------|---|-------|
| 1 | — RED — | 1 | AWG20 |
| 2 | — WHITE — | 2 | |
| 3 | — GREEN — | 3 | |
| 4 | — BLACK — | 5 | AWG20 |
| S | — SHIELD — | S | |



USB MINI B

