

# USB cable A male to 5 pin board connector 30cm

**Product number** CU-AI-03

**Length** 300mm



## Product description

Special USB cable: USB plug A male to 5 pin board connector (grid 2.54mm), 30cm, compatible USB 2.0, black

## Technical data

- special USB 2.0 cable for internal board connection
- length approx. 0.3 metres / 30cm
- connection 1: USB 2.0 type A plug, male (assigned according to USB standard)
- connection 2: Board connector (5-pin with 2.54mm pitch)
- colour sequence of board connector corresponds to market standard of mainboards
- PREMIUM quality
- double shielded (foil + braided shield)
- shield connected to pin 5 of the board connector (bundled by heat shrink tubing)
- data cables AWG28/1P (twisted pair)
- board connector side stranding secured by heat shrink tubing
- thicker 5V power cables AWG24/2C
- UL cable material U2725
- E238846 UL AWM 2725 80°C 30V VW-1 28AWG/1P 24AWG/2C HIGH SPEED USB2.0 CABLE CHINGLUNG
- cable diameter: approx. 4.8mm
- USB 2.0 compatible + backward compatible with USB 1.1
- suitable for 480 MBit/s (High Speed), 12 MBit/s (Full Speed) and 1.5 MBit/s (Low Speed)
- colour: black
- weight: 18gr
- CE, WEEE, RoHS compliant

More images



