

# USB 2.0 cable, plug B with screws to plug A without screws, 3m, 1 ferrite core

**Product number** CU-AS-30F  
**Length** 3000mm



## Product description

Special USB 2.0 cable: plug USB B with 2 screws to plug USB A without screws, compatible USB 2.0 & USB 1.1, PREMIUM quality, AGW28/24, colour: black, 2m, with 1 ferrite core

---

## Key Features

- USB 2.0 special cable **with screw-on B connector**
- Length approx. 3 metres | 3m
- **PREMIUM quality with ferrite core**
- Double shielding with foil shield + braided shield
- Thickness of the strands: 24 AWG (power) 28 AWG (data)
- Data strands: twisted pair (1P)
- High-end cable material made of 99.9% oxygen-free **copper** (OFC)
- Connector 1: USB 2.0 plug type A male (normal without screws)
- Connector 2: **USB 2.0 plug type B male with 2 screws**
- Screw type: UNC 4/40
- Screw spacing: 24 mm
- USB 2.0 compatible + backwards compatible with USB 1.1
- Suitable for 480 Mbit/s (high speed), 12 Mbit/s (full speed) + 1.5 Mbit/s (low speed)
- Colour: black
- Tariff number for screw-on USB cables: 85444290
- e.g. for EXSYS USB hubs
- CE, WEEE, RoHS compliant

## More images



